



THE WALLERAWANG COLLIERIES LIMITED

**ENVIRONMENTAL
MONITORING SUMMARY
July – September 2012**

CONTENTS

1. Introduction.....	3
2. Air quality	3
2.1 Air Quality Impact Assessment Criteria	4
2.2 Depositional Rust Monitoring Results	4
2.3 Total Suspended Particulate Results	7
2.4 PM ¹⁰ Results	8
3. Surface Water	9
3.1 Water Quality Concentration Limits.....	10
3.2 Water Quality Results	10
4. Groundwater.....	14
5. Noise	14
5.1 Noise Impact Assessment Criteria	14
5.2 Noise Audit Results.....	15

DRAWINGS

Drawing 1.....	15
Drawing 1.....	16
Drawing 1.....	17

TABLES

Table 2.1: Baal Bone Air Quality Impact Assessment Criteria	4
Table 2.2: Deposited dust monitoring results for the reporting period	4
Table 3.1: EPL concentration limits	10
Table 3.2: Water quality results for the reporting period.....	10
Table 5.1: Long term noise impact assessment criteria.....	14
Table 5.2: Attended noise measurement results	15

FIGURES

Figure 2.1: Dust monitoring gauge DM1 (EPL monitoring point No. 7)	5
Figure 2.2: Dust monitoring gauge DM2 (EPL monitoring point No. 13)	5
Figure 2.3: Dust monitoring gauge DM3 (EPL monitoring point No. 14)	6
Figure 2.4: Dust monitoring gauge DM4 (EPL monitoring point No. 15)	6
Figure 2.5: Dust monitoring gauge DM5 (EPL monitoring point No. 16)	7
Figure 2.6: TSP Results	8
Figure 2.7: PM ¹⁰ 24 hour average results for the reporting period	9
Figure 3.1: Total Iron levels.....	12
Figure 3.2: Oil and grease levels	12
Figure 3.3: pH levels.....	13
Figure 3.4: Total suspended solids levels.....	13

1. INTRODUCTION

In accordance with Schedule 5, Condition 9 of Project Approval 09_0178 this report provides a summary of environmental monitoring results for Baal Bone Colliery, for the period 1 July 2012 to 30 September 2012. Baal Bone's licensed discharge and monitoring locations are identified in **Drawing 1** and **Drawing 2**. Noise monitoring locations are identified in **Drawing 3**. Results included in this summary include – air quality, surface water quality and dewatering bore flow rates.

2. AIR QUALITY

In accordance with Schedule 3, Condition 12 of Project Approval 09_0178 Baal Bone Colliery has developed an Air Quality Monitoring Program (AQMP). The Department of Planning approved the AQMP in correspondence dated 6 July 2011.

Monthly dust fall-out monitoring is carried out in accordance with Australian Standard AS3580.10.1, EPL requirements and Baal Bone's AQMP. Baal Bone has engaged ALS Group Environmental Division Mudgee, a NATA Accredited laboratory, to undertake monthly sampling, monitoring and analysis.

Baal Bone maintains a network of five dust deposition gauges to monitor dust levels around site and in the vicinity of the nearest neighbour, these are:

- Sample location DM1 (EPL monitoring point No. 7);
- Sample location DM2 (EPL monitoring point No. 13);
- Sample location DM3 (EPL monitoring point No. 14); and
- Sample location DM4 (EPL monitoring point No. 15).
- Sample location DM5 – installed 8 September 2011 (EPL monitoring point No. 16).

Particulate matter less than 10 µm in size (PM₁₀) and high volume air sampler total suspended particulate (TSP) monitors were installed 23 October 2011 and 29 October 2011 respectively in accordance with a revised Air Quality Monitoring Program which was approved by the Department of Planning and Infrastructure in accordance with Project Approval 09_0178. The location of the TSP and PM₁₀ monitors are situated at the same location as DM2.

In accordance with the Air Quality Monitoring Program, monitoring for PM₁₀ and TSP was discontinued in June 2012. The monitoring was discontinued following Baal Bone mining operations entering care and maintenance in September 2011, and the completion of washing and transporting of coal off-site in December 2011 and April 2012 respectively.

Locations of all air quality monitoring gauges are shown in **Drawing 1**.

2.1 Air Quality Impact Assessment Criteria

Schedule 3, Condition 10 of Project Approval 09_0178 includes air quality impact assessment criteria for the project which are summarised in **Table 2.1** below. The pollutants to be monitored include deposited dust, TSP and PM₁₀.

Table 2.1: Baal Bone Air Quality Impact Assessment Criteria

Pollutant	Averaging period	Criterion	
		Maximum increase	Maximum total
Deposited dust	Annual	2 g/m ² /month	4 g/m ² /month
		90 µg/m ³	
TSP	Annual		
PM ¹⁰	24 hour	50 µg/m ³	
	Annual	30 µg/m ³	

2.2 Depositional Rust Monitoring Results

Levels of deposited dust at Baal Bone's five gauges were below 4g/m²/month during the reporting period (refer to **Table 2.2**). Dust levels at all five gauges satisfied the criterion outlined in Project Approval 09_0178.

Figures 2.1 to 2.5 provide monthly results for each depositional dust gauge for 2012.

Table 2.2: Deposited dust monitoring results for 2012 (g/m²/month)

Month	DM1	DM2	DM3	DM4	DM5
January	1.5	0.2	2.3 ^c	0.6 ^c	0.3
February	0.1 ^b	0.1 ^b	0.1 ^{b,c}	<0.1 ^{b,c}	0.3 ^b
March	0.1 ^{b,c}	0.1 ^{b,c}	0.1 ^c	0.1 ^c	See note 'a'
April	0.3	0.4	0.2	0.2	0.3
May	0.6	0.2	1.9	0.2	0.6
June	6.1 ^d	0.1	1.0	0.1	0.1
July	<0.1	<0.1	<0.1	0.1	0.1
August	0.1	0.3	0.6	0.3	0.4
September	0.4	0.7	0.4	0.4	0.5

- a) No results available, sample bottle broken in transit.
 b) Gauge overflowing – depositional dust result may be underestimated.
 c) Sample exposure period outside of AS/NZS 3580.10.1 specifications of 30 ± 2 days.
 d) June 2012 sample at DM1 contaminated with bird droppings and insects.




Figure 2.1: Dust monitoring gauge DM1 (EPL monitoring point No. 7)




Figure 2.2: Dust monitoring gauge DM2 (EPL monitoring point No. 13)




Figure 2.3: Dust monitoring gauge DM3 (EPL monitoring point No. 14)




Figure 2.4: Dust monitoring gauge DM4 (EPL monitoring point No. 15)

DM5




Figure 2.5: Dust monitoring gauge DM5 (EPL monitoring point No. 16)

2.3 Total Suspended Particulate Results

A high volume air sampler (HVAS) monitors total suspended particulates (TSP) at one location: DM2. HVAS run on a six-day cycle in accordance with EPA/OEH requirements.

Figure 2.6 shows the TSP results for the reporting period.




Figure 2.6: TSP Results

As the HVAS for monitoring TSP was installed in October 2011, the annual rolling average is not available for the current reporting period.

As illustrated at **Figure 2.6** the TSP levels during the reporting period were well below the long-term criteria, with the average TSP level for the six months until end June 2012 being 9.5 µg/m³.

In accordance with the Air Quality Monitoring Program, monitoring for TSP was discontinued in June 2012. The monitoring was discontinued following Baal Bone mining operations entering care and maintenance in September 2011, and the completion of coal washing and transporting of coal off-site in December 2011 and April 2012 respectively.

2.4 PM₁₀ Results

A Tapered Element Oscillating Microbalance Analyser (TEOM) measures particulate matter up to 10 microns in diameter (PM₁₀) at one location: DM2.

Figure 2.7 shows PM₁₀ 24 hour average results for the reporting period.




Figure 2.7: PM₁₀ 24 hour average results for the reporting period

As illustrated in **Figure 2.7** the PM₁₀ levels during the reporting period were below the short-term assessment criteria (50 µg/m³).

As the TEOM was installed in October 2011, the annual rolling average is not available. However the average 24hr PM₁₀ level for the six months until end June 2012 was 9.8 µg/m³, well below the long-term assessment criteria of 30 µg/m³.

In accordance with the Air Quality Monitoring Program, monitoring for PM₁₀ was discontinued in June 2012. The monitoring was discontinued following Baal Bone mining operations entering care and maintenance in September 2011, and the completion of washing and transporting of coal off-site in December 2011 and April 2012 respectively.

3. SURFACE WATER

Baal Bone has engaged ALS Group Environmental Division Mudgee, a NATA Accredited laboratory, to undertake monthly sampling, monitoring and analysis of a range of surface and subsurface waters.

Baal Bone maintains a network of five licensed discharge and monitoring points in accordance with EPL 765 (viz. LD2, LD3, LD6, LDP1 and WMP1)(**Drawing 1 and Drawing 2**).

Environmental Monitoring Summary

A copy of EPL 765 can be accessed here:

<http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31065&SY SUID=1&LICID=765>.

3.1 Water Quality Concentration Limits

Condition L2 of EPL 765 outlines water concentration limits for oil and grease, pH, total suspended solids and total iron. These limits are presented below in **Table 3.1**.

Table 3.1: EPL concentration limits

	LD2	LD3	LD6	LDP1	WMP1
Oil and grease (mg/L)	-	10	10	10	-
pH	-	6.5-8.5	6.5-8.5	6.5-8.5	-
Total Suspended Solids (mg/L)	-	50	50	50	-
Total Iron (mg/L)	-	-	1.0	1.0	-

3.2 Water Quality Results

Monitoring results for Baal Bone's five licensed discharge and monitoring points as required by EPL 765 are presented below in **Table 3.2**.

Table 3.2: Water quality results for the reporting period

EPL Point ¹	Month	EC uS/cm	Oil & Grease mg/L	SO ₄ ²⁻ mg/L	Fe mg/L	TSS mg/L	pH	BOD mg/L	Faecal Coliforms cos/100m ls	N mg/L	P mg/L
LD2	Jan ²	-	-	-	-	-	-	-	-	-	-
	Feb	-	<2	-	-	87	8.1	37	320	8.8	4.19
	Mar	-	<2	-	-	78	7.2	35	<10	6.5	1.87
	Apr	-	<2	-	-	188	7.5	49	40	6.6	2.01
	May	-	5	-	-	130	8.3	56	40	6.7	1.03
	June	-	<2	-	-	59	7.7	16	9	8	1.08
	July	-	5	-	-	47	7.7	26	28	6.5	0.6
	Aug	-	7	-	-	56	7.5	28	321	10.7	1.14
	Sept	-	18	-	-	67	7.2	32	4	17.3	2.55
LD3	Jan	1450	<2	350	3.0	6	6.7	-	-	-	-
	Feb	1430	<2	298	2.8	7	7.0	-	-	-	-
	Mar	1350	<2	170	0.4	3	7.0	-	-	-	-

Environmental Monitoring Summary

	Apr	1190	<2	177	5.02	5	7.1	-	-	-	-
	May	1330	<2	176	3.6	5	7.4	-	-	-	-
	June	1340	<2	266	4.14	2	6.8	-	-	-	-
	July	1410	<2	290	3.79	8	7.1	-	-	-	-
	Aug	1360	<2	300	4.01	5	7.1	-	-	-	-
	Sept	1390	<2	319	3.74	9	7.1	-	-	-	-
LD6	Jan	1280	<2	271	0.37	2	6.7	-	-	-	-
	Feb	1310	<2	239	0.2	<2	7.4	-	-	-	-
	Mar	1440	<2	354	0.16	<2	7.6	-	-	-	-
	Apr	1610	<2	537	0.14	<2	7.4	-	-	-	-
	May	1700	<2	446	0.17	<2	7.9	-	-	-	-
	June	1660	<2	430	0.45	<2	7.3	-	-	-	-
	July	1590	<2	444	0.62	3	7.3	-	-	-	-
	Aug	1510	<2	461	0.2	<2	7.4	-	-	-	-
Sept	1550	<2	401	2	11	7.6	-	-	-	-	
LDP 1	Jan	1160	<2	408	0.26	<2	7.8	-	-	8.6	0.02
	Feb	1180	<2	393	0.17	2	7.9	-	-	0.1	0.09
	Mar	880	<2	213	0.2	2	7.3	-	-	0.3	<0.01
	Apr	1240	<2	436	0.12	<2	8.1	-	-	0.4	<0.01
	May	1390	<2	451	0.16	3	8.4	-	-	0.3	<0.01
	June	1160	<2	378	0.2	2	7.9	-	-	0.3	<0.01
	July	1040	<2	310	0.4	< 2	7.7	-	-	0.3	0.14
	Aug	1110	<2	355	0.34	<2	8.1	-	-	0.2	0.04
Sept	1150	<2	348	0.31	3	7.8	-	-	0.1	<0.01	

1. No samples taken at WMP1 during the period January – September 2012 as sample location was dry.
2. No sample taken in January, as LD2 was dry.

Legend

EC = Electrical conductivity

Fe = Iron

BOD = Biological oxygen demand

P = Phosphorus

SO²⁻ = Sulfate

TSS = Total suspended solids

N = Nitrogen

Figures 3.1 to 3.4 provide monthly water quality results compared to EPL concentration limits.




Figure 3.1: Total iron levels




Figure 3.2: Oil and grease levels




Figure 3.3: pH levels




Figure 3.4: Total suspended solids levels

Environmental Monitoring Summary

All samples recorded were within EPL concentration limits during the reporting period, with the exception of total iron at LD6. The September water sample at LD6 showed an iron level of 2.0 mg/L, above the EPL licence limit of 1.0 mg/L. All other samples during 2012 have recorded iron levels below the EPL licence limit.

A summary of other monitoring results for EPL discharge and monitoring points (those with specified concentration limits) during the July - September 2012 period can be found below:

- All samples for oil and grease at returned levels of 2 mg/L or less, well below the EPL concentration limit of 10 mg/L.
- All samples returned pH results that were within the upper and lower EPL limits (8.5 and 6.5 respectively).
- The highest TSS result for the period was 11 mg/L (recorded at LD6), well below the concentration limit of 50 mg/L.

4. GROUNDWATER

Condition L3.1 of EPL 765 specifies a discharge volume limit of 12 ML per day at LD6.

During the July - September 2012 period, discharges from LD6 did not exceed the daily limit, with an average daily discharge at LD6 of 3.9 ML per day, and a maximum daily discharge of 4.3 ML.

5. NOISE

Baal Bone Colliery has developed a Noise Management Plan (NMP) in accordance with Schedule 3, Condition 6 of Project Approval 09_0178. The NMP was approved by the Department of Planning in correspondence dated 11 November 2012.

As per the NMP Baal Bone Colliery operates a real time noise monitor at location R2. In addition to real time noise monitoring (which is supplementary to regulatory measurements), attended monitoring is undertaken on a quarterly basis at receptors R1 and R2/R3 (**refer to Drawing 3**).

5.1 Noise Impact Assessment Criteria

Schedule 3, Condition 4 of Project Approval 09_0178 includes long term noise impact assessment criteria. Table 5.1 outlines the assessment criteria.

Table 5.1: Long term noise impact assessment criteria

Location	All periods dB(a) $L_{Aeq}(15 \text{ min})$	Night dB(a) $L_{A1}(1 \text{ min})$
R1	46	47
R2	41	48
R3	41	48
All other privately-owned land	35	45

5.2 Noise Audit Results

During the reporting period an environmental compliance noise audit was conducted by Atkins Acoustics & Associates Monday 13 August between 10.30am and 11.30pm. Table 5.2 summarises the results from the audit.

Table 5.2: Attended noise measurement results

Location (Start time)	Measured Predicted Colliery Noise	Limit	Unit	Comments
	L_{Aeq}			
Daytime Audit (10.30am to 11.45am) – Monday 13 August 2012				
Location R1 (1109 hours)	<35	46	dBA	Coal Pac dozer, trucks <30dBA; highway traffic; cows; insects; birds.
Location R1 (1124hours)	<35	46	dBA	Highway traffic; insects; birds, cows, BBC ventilation fan <30dBA
Location R2/3 (1030 hours)	<35	41	dBA	Highway traffic; insects; birds.
Location R2/3 (1045 hours)	<35	41	dBA	Highway traffic; insects; birds.

Location (Start time)	Measured Predicted Colliery Noise	Limit	Unit	Comments
	L_{Aeq}			
Evening Audit (6.00pm to 7.45pm) – Monday 13 August 2012				
Location R1 (1800 hours)	<40	46	dBA	Highway traffic; insects.
Location R1 (1815 hours)	<42	46	dBA	Highway traffic; insects; ducks
Location R2/3 (1842 hours)	<39	41	dBA	Highway traffic; insects; cows
Location R2/3 (1857 hours)	<35	41	dBA	Highway traffic; insects

Environmental Monitoring Summary

Location (Start time)	Measured Predicted Colliery Noise		Limit		Unit	Comments
	L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}		
Night Audit (10.00pm to midnight) – Monday 13 August 2012						
Location R1 (2240 hours)	<35	<38	46	47	dBA	BBC ventilation fan <30dBA; Intermittent highway traffic; insects.
Location R1 (2245 hours)	<35	<30	46	47	dBA	BBC ventilation fan <30dBA; Intermittent highway traffic; insects.
Location R2/3 (2200 hours)	<35	<38	41	48	dBA	BBC ventilation fan <30dBA; Intermittent highway traffic; insects.
Location R2/3 (2215 hours)	<35	<39	41	48	dBA	BBC ventilation fan <30dBA; Intermittent highway traffic; insects.


The audit report concluded that:

“The LA_{eq}, 15 min noise levels from Baal Bone Colliery during the day, evening and night assessment periods satisfied the licence long-term noise limits.

Baal Bone Colliery related LA_{max} noise levels were not observed to cause exceedances of the licence noise limits at measurement locations for the duration of the attended measurements.”


The full noise audit report can be accessed from the Baal Bone publications page at:
<http://www.xstratacoal.com/EN/Operations/Baalbone/Pages/BaalBonePublicationsArchive.aspx>.







Drawing 1



	Surface Water Monitoring Site	Drainage Path	Weather Station	BAAL BONE COLLIERY TITLE 2011 LICENCED MONITORING SITES	 OAKBRIDGE PTY LIMITED
	Deposited Dust Monitoring Site	Fish river pipeline	Internal Water Monitoring Points		
				DRAWING No. Drawing 1	A3

Drawing 2



	 Surface Water Monitoring Site	 Drainage Path	BAAL BONE COLLIERY TITLE 2011 LICENCED MONITORING SITES	
	 Internal Water Monitoring Points	 Fish River Pipeline		
DRAWN JWS DATE 10/1/2008 REVISION 1/3/2012 CHECKED APPROVED SCALE NTS		COMPUTER PATH G:\Techserv\Technical Services\Survey\Survey Plans\Environmental\WCPs\2011\EMR\		DRAWING No. - Drawing 2 A3
			OAKBRIDGE PTY LIMITED	

Drawing 3

