



THE WALLERAWANG COLLIERIES LIMITED

**ENVIRONMENTAL
MONITORING SUMMARY
January – March 2012**

CONTENTS

| | |
|--|----|
| 1. Introduction..... | 3 |
| 2. Air quality | 3 |
| 2.1 Air Quality Impact Assessment Criteria | 3 |
| 2.2 Depositional Rust Monitoring Results | 4 |
| 2.3 Total Suspended Particulate Results | 7 |
| 2.4 PM ¹⁰ Results | 7 |
| 3. Surface Water | 8 |
| 3.1 Water Quality Concentration Limits..... | 9 |
| 3.2 Water Quality Results | 9 |
| 4. Groundwater..... | 12 |
| 5. Noise | 13 |
| 5.1 Noise Impact Assessment Criteria | 13 |
| 5.2 Noise Audit Results..... | 13 |

DRAWINGS

| | |
|----------------|----|
| Drawing 1..... | 15 |
| Drawing 1..... | 16 |
| Drawing 1..... | 17 |

TABLES

| | |
|---|----|
| Table 2.1: Baal Bone Air Quality Impact Assessment Criteria | 4 |
| Table 2.2: Deposited dust monitoring results for the reporting period | 4 |
| Table 3.1: EPL concentration limits | 9 |
| Table 3.2: Water quality results for the reporting period..... | 9 |
| Table 5.1: Long term noise impact assessment criteria..... | 13 |
| Table 5.2: Attended noise measurement results | 13 |

FIGURES

| | |
|---|----|
| Figure 2.1: Dust monitoring gauge DM1 (EPL monitoring point No. 7) | 4 |
| Figure 2.2: Dust monitoring gauge DM2 (EPL monitoring point No. 13) | 5 |
| Figure 2.3: Dust monitoring gauge DM3 (EPL monitoring point No. 14) | 5 |
| Figure 2.4: Dust monitoring gauge DM4 (EPL monitoring point No. 15) | 6 |
| Figure 2.5: Dust monitoring gauge DM5 (EPL monitoring point No. 16) | 6 |
| Figure 2.6: TSP Results | 7 |
| Figure 2.7: PM ¹⁰ 24 hour average results for the reporting period | 8 |
| Figure 3.1: Total Iron levels..... | 10 |
| Figure 3.2: Oil and grease levels | 11 |
| Figure 3.3: pH levels..... | 11 |
| Figure 3.4: Total suspended solids levels..... | 12 |

1. INTRODUCTION

In accordance with Schedule 5, Condition 9 of Project Approval 09_0178 this report provides a summary of environmental monitoring results for Baal Bone Colliery, for the period 1 January – 31 March 2012. Baal Bone's licensed discharge and monitoring locations are identified in **Drawing 1** and **Drawing 2**. Noise monitoring locations are identified in **Drawing 3**. Results included in this summary include – air quality, surface water quality and dewatering bore flow rates.

2. AIR QUALITY

In accordance with Schedule 3, Condition 12 of Project Approval 09_0178 Baal Bone Colliery has developed an Air Quality Monitoring Program (AQMP). The Department of Planning approved the AQMP in correspondence dated 6 July 2011.

Monthly dust fall-out monitoring is carried out in accordance with Australian Standard AS3580.10.1, EPL requirements and Baal Bone's AQMP. Baal Bone has engaged ALS Group Environmental Division Mudgee, a NATA Accredited laboratory, to undertake monthly sampling, monitoring and analysis.

Baal Bone maintains a network of five dust deposition gauges to monitor dust levels around site and in the vicinity of the nearest neighbour, these are:

- Sample location DM1 (EPL monitoring point No. 7);
- Sample location DM2 (EPL monitoring point No. 13);
- Sample location DM3 (EPL monitoring point No. 14); and
- Sample location DM4 (EPL monitoring point No. 15).
- Sample location DM5 – installed 8 September 2011 (EPL monitoring point No. 16).

Particulate matter less than 10 µm in size (PM10) and high volume air sampler total suspended particulate (TSP) monitors were installed 23 October 2011 and 29 October 2011 respectively in accordance with a revised Air Quality Management Plan which was approved by the Department of Planning and Infrastructure in accordance with Project Approval 09_0178. The location of the TSP and PM10 monitors are situated at the same location as DM2.

Locations of all air quality monitoring gauges are shown in **Drawing 1**.

2.1 Air Quality Impact Assessment Criteria

Schedule 3, Condition 10 of Project Approval 09_0178 includes air quality impact assessment criteria for the project which are summarised in **Table 2.1** below. The pollutants to be monitored include deposited dust, TSP and PM10.

Table 2.1: Baal Bone Air Quality Impact Assessment Criteria

| Pollutant | Averaging period | Criterion | |
|------------------|------------------|---------------------------|---------------------------|
| | | Maximum increase | Maximum total |
| Deposited dust | Annual | 2 g/m ² /month | 4 g/m ² /month |
| TSP | Annual | 90 µg/m ³ | |
| PM ¹⁰ | 24 hour | 50 µg/m ³ | |
| | Annual | 30 µg/m ³ | |

2.2 Depositional Rust Monitoring Results

Levels of deposited dust at Baal Bone’s five gauges were below the 4g/m²/month criterion during the reporting period (refer to **Table 2.2**). Further, the maximum increase criterion of 2g/m²/month was not exceeded. **Figures 2.1 to 2.5** provide monthly results for each depositional dust gauge for 2012.

Table 2.2: Deposited dust monitoring results for the reporting period (g/m²/month)

| Month | DM1 | DM2 | DM3 | DM4 | DM5 |
|----------|--------------------|--------------------|--------------------|--------------------|------------------|
| January | 1.5 | 0.2 | 2.3 ^c | 0.6 ^c | 0.3 |
| February | 0.1 ^b | 0.1 ^b | 0.1 ^{b,c} | 0.1 ^{b,c} | 0.3 ^b |
| March | 0.1 ^{b,c} | 0.1 ^{b,c} | 0.1 ^c | 0.1 ^c | See note 'a' |

- a) No results available, sample bottle broken in transit.
- b) Gauge overflowing – depositional dust result may be underestimated.
- c) Sample exposure period outside of AS/NZS 3580.10.1 specifications of 30 ± 2 days.

DM1




Figure 2.1: Dust monitoring gauge DM1 (EPL monitoring point No. 7)

DM2




Figure 2.2: Dust monitoring gauge DM2 (EPL monitoring point No. 13)

DM3




Figure 2.3: Dust monitoring gauge DM3 (EPL monitoring point No. 14)

DM4




Figure 2.4: Dust monitoring gauge DM4 (EPL monitoring point No. 15)

DM5




Figure 2.5: Dust monitoring gauge DM5 (EPL monitoring point No. 16)

2.3 Total Suspended Particulate Results

A high volume air sampler (HVAS) monitors total suspended particulates (TSP) at one location: DM2. HVAS run on a six-day cycle in accordance with EPA/OEH requirements.

Figure 2.6 shows the TSP results for the reporting period.




Figure 2.6: TSP Results

As the HVAS for monitoring TSP was installed in October 2011, the annual rolling average is not available for the current reporting period.

As illustrated at **Figure 2.6** the TSP levels during the reporting period were well below the long-term criteria, with the average TSP level for the January - March 2012 period being 10.6 µg/m³.

2.4 PM₁₀ Results

A Tapered Element Oscillating Microbalance Analyser (TEOM) measures particulate matter up to 10 microns in diameter (PM₁₀) at one location: DM2.

Figure 2.7 shows PM₁₀ 24 hour average results for the reporting period.




Figure 2.7: PM₁₀ 24 hour average results for the reporting period

As illustrated in **Figure 2.7** the PM₁₀ levels during the reporting period were below the short-term assessment criteria (50 µg/m³).

As the TEOM was installed in October 2011, the annual rolling average will not be available until October 2012. However the average 24hr PM₁₀ level for the January – March 2012 period was 10.7 µg/m³, well below the long-term assessment criteria of 30 µg/m³.

3. SURFACE WATER

Baal Bone has engaged ALS Group Environmental Division Mudgee, a NATA Accredited laboratory, to undertake monthly sampling, monitoring and analysis of a range of surface and subsurface waters.

Baal Bone maintains a network of five licensed discharge and monitoring points in accordance with EPL 765 (viz. LD2, LD3, LD6, LDP1 and WMP1)(**Drawing 1 and Drawing 2**).

A copy of EPL 765 can be accessed here:

<http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31065&SY SUID=1&LICID=765>.

3.1 Water Quality Concentration Limits

Condition L2 of EPL 765 outlines water concentration limits for oil and grease, pH, total suspended solids and total iron. These limits are presented below in **Table 3.1**.

Table 3.1: EPL concentration limits

| | LD2 | LD3 | LD6 | LDP1 | WMP1 |
|-------------------------------|-----|---------|---------|---------|------|
| Oil and grease (mg/L) | - | 10 | 10 | 10 | - |
| pH | - | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | - |
| Total Suspended Solids (mg/L) | - | 50 | 50 | 50 | - |
| Total Iron (mg/L) | - | - | 1.0 | 1.0 | - |

3.2 Water Quality Results

Monitoring results for Baal Bone's five licensed discharge and monitoring points as required by EPL 765 are presented below in **Table 3.2**.

Table 3.2: Water quality results for the reporting period

| EPL Point ₁ | Month | EC uS/cm | Oil & Grease mg/L | SO ₄ ²⁻ mg/L | Fe mg/L | TSS mg/L | pH | BOD mg/L | Faecal Coliforms cos/100m ls | N mg/L | P mg/L |
|------------------------|------------------|-------------|----------------------|---------------------------------------|------------|-------------|-----|-------------|------------------------------------|-----------|-----------|
| LD2 | Jan ² | - | - | - | - | - | - | - | - | - | - |
| | Feb | - | <2 | - | - | 87 | 8.1 | 37 | 320 | 8.8 | 4.19 |
| | Mar | - | <2 | - | - | 78 | 7.2 | 35 | <10 | 6.5 | 1.87 |
| LD3 | Jan | 1450 | <2 | 350 | 3.0 | 6 | 6.7 | - | - | - | - |
| | Feb | 1430 | <2 | 298 | 2.8 | 7 | 7.0 | - | - | - | - |
| | Mar | 1350 | <2 | 170 | 0.4 | 3 | 7.0 | - | - | - | - |
| LD6 | Jan | 1280 | <2 | 271 | 0.37 | 2 | 6.7 | - | - | - | - |
| | Feb | 1310 | <2 | 239 | 0.2 | <2 | 7.4 | - | - | - | - |
| | Mar | 1440 | <2 | 354 | 0.16 | <2 | 7.6 | - | - | - | - |
| LDP ₁ | Jan | 1160 | <2 | 408 | 0.26 | <2 | 7.8 | - | - | 8.6 | 0.02 |
| | Feb | 1180 | <2 | 393 | 0.17 | 2 | 7.9 | - | - | 0.1 | 0.09 |
| | Mar | 880 | <2 | 213 | 0.2 | 2 | 7.3 | - | - | 0.3 | <0.01 |

1. No samples taken at WMP1 during the period January – March 2012 as sample location was dry.
2. No sample taken in January, as LD2 was dry.

Legend

EC = Electrical conductivity
 Fe = Iron
 BOD = Biological oxygen demand
 P = Phosphorus

SO²⁻ = Sulfate
 TSS = Total suspended solids
 N = Nitrogen

Figures 3.1 to 3.4 provide monthly water quality results compared to EPL concentration limits.

Total Iron




Figure 3.1: Total Iron levels




Figure 3.2: Oil and grease levels




Figure 3.3: pH levels

Total Suspended Solids




Figure 3.4: Total suspended solids levels

All samples recorded were within EPL concentration limits during the reporting period.

A summary of monitoring results for EPL discharge and monitoring points (those with specified concentration limits) during the January – March 2012 period can be found below:

- All samples for iron at returned levels of 0.37 mg/L or less, below the concentration limit of 1.0 mg/L.
- All samples for oil and grease at returned levels of 2 mg/L or less, well below the EPL concentration limit of 10 mg/L.
- All samples returned pH results that were within the upper and lower EPL limits (8.5 and 6.5 respectively).
- All TSS results were at or below 7 mg/L, well below the concentration limit of 50 mg/L.

4. GROUNDWATER

Condition L3.1 of EPL 765 specifies a discharge volume limit of 12 ML per day at LD6.

During the January – March 2012 period, discharges from LD6 did not exceed the daily limit, with an average daily discharge at LD6 of 3.5 ML per day.

5. NOISE

Baal Bone Colliery has developed a Noise Management Plan (NMP) in accordance with Schedule 3, Condition 6 of Project Approval 09_0178. The NMP was approved by the Department of Planning in correspondence dated 11 November 2012.

As per the NMP Baal Bone Colliery operates a real time noise monitor at location R2. In addition to real time noise monitoring (which is supplementary to regulatory measurements), attended monitoring is undertaken on a quarterly basis at receptors R1 and R2/R3 (**refer to Drawing 3**).

5.1 Noise Impact Assessment Criteria

Schedule 3, Condition 4 of Project Approval 09_0178 includes long term noise impact assessment criteria. Table 5.1 outlines the assessment criteria.

Table 5.1: Long term noise impact assessment criteria

| Location | All periods dB(a) $L_{Aeq}(15 \text{ min})$ | Night dB(a) $L_{A1}(1 \text{ min})$ |
|--------------------------------|--|--|
| R1 | 46 | 47 |
| R2 | 41 | 48 |
| R3 | 41 | 48 |
| All other privately-owned land | 35 | 45 |

5.2 Noise Audit Results

During the reporting period an environmental compliance noise audit was conducted by Atkins Acoustics & Associates on Tuesday 14 February 2012 between 4.00pm and 12.00 midnight. Table 5.2 summarises the results from the audit.

Table 5.2: Attended noise measurement results

| Location (Start time) | Measured Predicted Colliery Noise | Limit | Unit | Comments |
|---|---|-------|------|--|
| L_{Aeq} | | | | |
| Daytime Audit (4.00pm to 6.00pm, Tuesday 14 February 2012) | | | | |
| R1 (1615 hrs) | <35 | 46 | dBA | Drift ventilation fan; Insects; Breeze in trees. |
| R1 (1630 hrs) | <35 | 46 | dBA | Drift ventilation fan; Insects; Breeze in trees; Birds 42/3 dBA; Rooster 54/5 dBA. |
| R2/R3 (1655 hrs) | <35 | 41 | dBA | Drift ventilation fan; Insects; Breeze in trees. |
| R2/R3 (1712 hrs) | <35 | 41 | dBA | Drift ventilation fan; Insects; Breeze in trees. |

Environmental Monitoring Summary

| Location (Start time) | Measured Predicted Colliery Noise | Limit | Unit | Comments |
|--|---|-------|------|--|
| | L_{Aeq} | | | |
| Evening Audit (6.00pm to 10.00pm, Tuesday 14 February 2012) | | | | |
| R1 (1800 hrs) | <40 | 46 | dBA | Reversing alarm 38-40; Truck onsite 48-50 dBA; Dozer tracks 40-42 dBA; Insects 43-44. |
| R1 (1815 hrs) | <42 | 46 | dBA | Truck onsite 41-50 dBA; Insects 50-52; Rooster 52-54 dBA; Birds 57-58 dBA; Reversing alarm 41-42 dBA. |
| R2/R3 (1838 hrs) | <39 | 41 | dBA | Truck onsite 42-48 dBA; Insects 50-52; Rooster 52-54 dBA; Birds 57-58 dBA; Highway traffic; Plane flyover 58-60 dBA. |
| R2/R3 (1865 hrs) | <35 | 41 | dBA | Drift ventilation fan; Insects 50-52; Birds 60-63 dBA; Rooster 54/5 dBA; Highway traffic. |

| Location (Start time) | Measured Predicted Colliery Noise | | Limit | | Unit | Comments |
|--|--------------------------------------|------------|-----------|------------|------|--|
| | L_{Aeq} | L_{Amax} | L_{Aeq} | L_{Amax} | | |
| Night Audit (10.00pm to midnight, Tuesday 14 February 2012) | | | | | | |
| R1 (2202 hrs) | <30 | <30 | 46 | 47 | dBA | Drift Ventilation Fan; Insects; Highway Traffic. |
| R1 (2217 hrs) | <30 | <30 | 46 | 47 | dBA | Drift Ventilation Fan; Insects; Highway Traffic. |
| R2/R3 (2239 hrs) | <30 | <30 | 41 | 48 | dBA | Drift Ventilation Fan; Insects; Highway Traffic. |
| R2/R3 (2255 hrs) | <30 | <30 | 41 | 48 | dBA | Drift Ventilation Fan; Insects; Highway Traffic. |


The audit report concluded that:

"The L_{Aeq} , 15 min noise levels from Baal Bone Colliery during the day, evening and night assessment periods satisfied the licence long-term noise limits.


Baal Bone Colliery related L_{Amax} noise levels were not observed to cause exceedances of the licence noise limits at measurement locations for the duration of the attended measurements."

The full noise audit report can be accessed from the Baal Bone publications page at:
<http://www.xstratacoal.com/EN/Operations/Pages/BaalBonePublicationsArchive.aspx>.

Drawing 1



Drawing 2



| | | | | | | |
|--|---|--|---|--|--|------------------------------|
| | Surface Water Monitoring Site Internal Water Monitoring Points | Drainage Path Fish River Pipeline Discharge Pipeline | DRAWN: JWS DATE: 10/1/2008 REVISION: 1/3/2012 CHECKED: [] APPROVED: [] SCALE: NTS | BAAL BONE COLLIERY TITLE: 2011 LICENCED MONITORING SITES | | OAKBRIDGE PTY LIMITED |
| | COMPUTER PATH: G:\Techserv\Technical Services\Survey\Survey Plans\Environmental\WOPs\2011\EMR\ DRAWING No. - Drawing 2 | | A3 | | | |

Baal Bone Environmental Monitoring Summary

Drawing 3

